

General information

Product name	L-BOXX 374
Item no.	6100000308
GTIN/EAN	4045294844585
Customs tariff no.	39231090
Country of origin	Germany

Product image



Characteristics

8SSPCGEWIEHISTPEWXMGSVGPPIEVWXSVEKIERHTVXSIGXMSRHFIVMRKXVERWTSVX

Unique mobility system

Patented click connection

Modular interior


Organized storage

Safe transport

Integration into the in-vehicle equipment systems of renowned manufacturers



Revision 5.0_08_2023



Colour / Material

Colour RAL 9017 traffic black
RAL 7016 anthracit grey

Material

- L-BOXX Acrylnitrile butadiene styrene
 - Top handle Acrylnitrile butadiene styrene
 - Handle rail Acrylnitrile butadiene styrene
 - Grip handle Acrylnitrile butadiene styrene
-
- Coupling latches Polyamide
 - Locking latches Polyamide



- 1 Body
- 2 Lid
- 3 Top handle
- 4 Handle rail
- 5 Grip handle
- 6 Coupling latches
- 7 Locking latches

Technical data

External dimensions

Width	445 mm	17.5"
Depth	358 mm	14.1"
Height	390 mm	15.4"

Internal dimensions

Width	378 mm	14.9"
Depth	294 mm	11.6"
Height	339 mm	13.3"

Volume	41.1 l	11.0 gal
Weight	3.5 kg	7.5 lbs

Load capacity lid up to	100 kg	220 lbs
-------------------------	--------	---------

Loading capacity max.	25 kg	55 lbs
-----------------------	-------	--------

Load capacity front handle	25 kg	55 lbs
----------------------------	-------	--------

Load capacity top handle	40 kg	88 lbs
--------------------------	-------	--------

Splash-proof	yes
--------------	-----

Temperature range in °C	-20°C till +80°C
-------------------------	------------------

Temperature range in °F	-4°F till +176°F
-------------------------	------------------

Compatible with	<ul style="list-style-type: none"> ▪ L-BOXX System ▪ ProClick Tool Bag M ▪ ProClick Soft Bag M
-----------------	---

Certificates	REACH-(EG 1907/2006)
--------------	----------------------