


L-BOXX[®]

Produktdatenblatt
Product data sheet



LS-Tray 72



Allgemeine Daten


| | |
|-----------------|---------------|
| Bezeichnung | LS-Tray 72 |
| Artikelnummer | 6100000337 |
| GTIN/EAN | 4045294846190 |
| Zolltarifnummer | 39231090 |
| Ursprungsland | Deutschland |


Produktabbildung



Produktbeschreibung

- Werkzeugschublade aus Kunststoff für übersichtliches Aufbewahren und Schutz beim Transport
- Ordentlich Aufbewahren
- Sicherer Transport
- Einzigartiges Mobilitätssystem
- Modularer Innenraum





Farbe / Material

Farbe RAL 9017 Verkehrsschwarz

Material

▪ LS-Tray Acrylnitril-Butadien-Styrol



LS-Tray mit Insetboxenset H3



LS-Tray mit Kleinteileinsatz 7 Mulden

Technische Daten

Außenmaße

| | |
|--------|--------|
| Breite | 370 mm |
| Tiefe | 314 mm |
| Höhe | 73 mm |

Innenmaße

| | |
|--------|--------|
| Breite | 343 mm |
| Tiefe | 259 mm |
| Höhe | 69 mm |

Volumen 6,6 l

Eigengewicht 0,6 kg

Beladungskapazität 5 kg

Spritzwassergeschützt nein

Temperaturbereich in C -20°C bis +80°C

Kompatibel mit

- i-BOXX Rack
- LS-BOXX
- Zubehörprogramm

Zertifikate REACH-(EG 1907/2006)

General information


| | |
|--------------------|---------------|
| Product name | LS-Tray 72 |
| Item no. | 6100000337 |
| GTIN/EAN | 4045294846190 |
| Customs tariff no. | 39231090 |
| Country of origin | Germany |

Product image



Characteristics

- Plastic tool drawer for clear storage and protection during transport
- Clean storage
- Safe transport
- Unique mobility system
- Modular interior layout



Revision 5.08_2023



Colour / Material

Colour RAL 9017 traffic black

Material

- Body Acrylnitrile butadiene styrene



LS-Tray with inset box set H3



LS-Tray with small parts insert 7 compartments

Technical data

External dimensions

| | | |
|--------|--------|-------|
| Width | 370 mm | 14.6" |
| Depth | 314 mm | 12.4" |
| Height | 73 mm | 2.9" |

Internal dimensions

| | | |
|--------|--------|-------|
| Width | 343 mm | 13.5" |
| Depth | 259 mm | 10.2" |
| Height | 69 mm | 2.7" |

| | | |
|---------------|--------|---------|
| Volume | 6.6 l | 1.7 gal |
| Weight | 0.6 kg | 1.3 lbs |
| Load capacity | 5 kg | 11 lbs |
| Splash-proof | yes | |

| | | |
|-------------------------|------------------|--|
| Temperature range in °C | -20°C till +80°C | |
| Temperature range in °F | -4°F till +176°F | |

| | |
|-----------------|-----------------------------------------------------------------------------------------------------------|
| Compatible with | <ul style="list-style-type: none"> i-BOXX Rack LS-BOXX Accessories range |
|-----------------|-----------------------------------------------------------------------------------------------------------|

| | |
|--------------|----------------------|
| Certificates | REACH-(EG 1907/2006) |
|--------------|----------------------|